

Publications Enabled by the LQCD Computing Project

Publications in or Submitted to Refereed Journals

- [1] E. Dalgic, A. Gray, M. Wingate, C. T. H. Davies, G. P. Lepage and J. Shigemitsu, “B Meson Semileptonic Form Factors from Unquenched Lattice QCD,” *Phys. Rev. D* **73**, 074502 (2006) [Erratum-ibid. *D* **75**, 119906 (2007)] [arXiv:hep-lat/0601021].
- [2] J. J. Dudek, R. G. Edwards and D. G. Richards, “Radiative transitions in charmonium from lattice QCD,” *Phys. Rev. D* **73**, 074507 (2006) [arXiv:hep-ph/0601137].
- [3] S. Catterall, “Simulations of $N = 2$ super Yang-Mills theory in two dimensions,” *JHEP* **0603**, 032 (2006) [arXiv:hep-lat/0602004].
- [4] S. R. Beane, P. F. Bedaque, K. Orginos and M. J. Savage, “Nucleon nucleon scattering from fully-dynamical lattice QCD,” *Phys. Rev. Lett.* **97**, 012001 (2006) [arXiv:hep-lat/0602010].
- [5] E. Gamiz, S. Collins, C. T. H. Davies, G. P. Lepage, J. Shigemitsu and M. Wingate [HPQCD Collaboration], “Unquenched determination of the kaon parameter $B(K)$ from improved staggered fermions,” *Phys. Rev. D* **73**, 114502 (2006) [arXiv:hep-lat/0603023].
- [6] S. R. Beane, K. Orginos and M. J. Savage, “The Gell-Mann - Okubo mass relation among baryons from fully-dynamical mixed-action lattice QCD,” *Phys. Lett. B* **654**, 20 (2007) [arXiv:hep-lat/0604013].
- [7] S. R. Beane, K. Orginos and M. J. Savage, “Strong-isospin violation in the neutron proton mass difference from fully-dynamical lattice QCD and PQQCD,” *Nucl. Phys. B* **768**, 38 (2007) [arXiv:hep-lat/0605014].
- [8] M. Cristoforetti, P. Faccioli, M. C. Traini and J. W. Negele, “Exploring the chiral regime of QCD in the interacting instanton liquid model,” *Phys. Rev. D* **75**, 034008 (2007) [arXiv:hep-ph/0605256].
- [9] S. R. Beane, P. F. Bedaque, K. Orginos and M. J. Savage, “ $f(K)/f(\pi)$ in full QCD with domain wall valence quarks,” *Phys. Rev. D* **75**, 094501 (2007) [arXiv:hep-lat/0606023].
- [10] S. Catterall and S. Ghadab, “Twisted supersymmetric sigma model on the lattice,” *JHEP* **0610**, 063 (2006) [arXiv:hep-lat/0607010].
- [11] S. R. Beane, P. F. Bedaque, T. C. Luu, K. Orginos, E. Pallante, A. Parreno and M. J. Savage, “ πK scattering in full QCD with domain-wall valence quarks,” *Phys. Rev. D* **74**, 114503 (2006) [arXiv:hep-lat/0607036].
- [12] C. Alexandrou, T. Leontiou, J. W. Negele and A. Tsapalis, “The axial N to Delta transition form factors from lattice QCD,” *Phys. Rev. Lett.* **98**, 052003 (2007) [arXiv:hep-lat/0607030].
- [13] N. Mathur *et al.*, “Scalar mesons $a_0(1450)$ and $\sigma(600)$ from lattice QCD,” *Phys. Rev. D* **76**, 114505 (2007) [arXiv:hep-ph/0607110].
- [14] J. J. Dudek and R. G. Edwards, “Two photon decays of charmonia from lattice QCD,” *Phys. Rev. Lett.* **97**, 172001 (2006) [arXiv:hep-ph/0607140].

- [15] C. Aubin and T. Blum, “Calculating the hadronic vacuum polarization and leading hadronic contribution to the muon anomalous magnetic moment with improved staggered quarks,” *Phys. Rev. D* **75**, 114502 (2007) [arXiv:hep-lat/0608011].
- [16] M. Cheng *et al.*, “The transition temperature in QCD,” *Phys. Rev. D* **74**, 054507 (2006) [arXiv:hep-lat/0608013].
- [17] C. Schmidt and T. Umeda [RBC-Bielefeld Collaboration], “Thermodynamics of (2+1)-flavor QCD,” *Nucl. Phys. A* **785**, 274 (2007) [arXiv:hep-lat/0609032].
- [18] P. Petreczky, “Lattice QCD at finite temperature,” *Nucl. Phys. A* **785**, 10 (2007) [arXiv:hep-lat/0609040].
- [19] E. Follana *et al.* [HPQCD Collaboration], “Highly improved staggered quarks on the lattice, with applications to charm physics,” *Phys. Rev. D* **75**, 054502 (2007) [arXiv:hep-lat/0610092].
- [20] E. Dalgic *et al.*, “B/s0 - anti-B/s0 mixing parameters from unquenched lattice QCD,” *Phys. Rev. D* **76**, 011501 (2007) [arXiv:hep-lat/0610104].
- [21] A. M. Garcia-Garcia and J. C. Osborn, “Chiral phase transition in lattice QCD as a metal - insulator *Phys. Rev. D* **75**, 034503 (2007) [arXiv:hep-lat/0611019].
- [22] M. Cheng *et al.*, “Study of the finite temperature transition in 3-flavor QCD using the R and RHMC algorithms,” *Phys. Rev. D* **75**, 034506 (2007) [arXiv:hep-lat/0612001].
- [23] D. J. Antonio *et al.* [RBC and UKQCD Collaborations], “First results from 2+1-flavor domain wall QCD: Mass spectrum, topology change and chiral symmetry with $L(s) = 8$,” *Phys. Rev. D* **75**, 114501 (2007) [arXiv:hep-lat/0612005].
- [24] S. Catterall, “On the restoration of supersymmetry in twisted two-dimensional lattice Yang-Mills theory,” *JHEP* **0704**, 015 (2007) [arXiv:hep-lat/0612008].
- [25] S. R. Beane, P. F. Bedaque, T. C. Luu, K. Orginos, E. Pallante, A. Parreno and M. J. Savage [NPLQCD Collaboration], “Hyperon nucleon scattering from fully-dynamical lattice QCD,” *Nucl. Phys. A* **794**, 62 (2007) [arXiv:hep-lat/0612026].
- [26] M. Cheng, N. H. Christ, C. Jung, F. Karsch, R. D. Mawhinney, P. Petreczky and K. Petrov, “Flavor symmetry breaking and scaling for improved staggered actions in quenched QCD,” *Eur. Phys. J. C* **51**, 875 (2007) [arXiv:hep-lat/0612030].
- [27] K. Orginos, “Lattice QCD and Nuclear Physics,” *Eur. Phys. J. A* **31**, 799 (2007).
- [28] C. Allton *et al.* [RBC and UKQCD Collaborations], “2+1 flavor domain wall QCD on a $(2fm)^3$ lattice: light meson spectroscopy with $Ls = 16$,” *Phys. Rev. D* **76**, 014504 (2007) [arXiv:hep-lat/0701013].
- [29] C. Alexandrou, G. Koutsou, T. Leontiou, J. W. Negele and A. Tsapalis, “Axial Nucleon And Nucleon To Delta Form Factors And The Goldberger-Treiman Relations From Lattice QCD,” *Phys. Rev. D* **76**, 094511 (2007).
- [30] D. J. Antonio *et al.* [RBC Collaboration], *Phys. Rev. Lett.* **100**, 032001 (2008) [arXiv:hep-ph/0702042].
- [31] W. Detmold, K. Orginos and M. J. Savage, “BB potentials in quenched lattice QCD,” *Phys. Rev. D* **76**, 114503 (2007) [arXiv:hep-lat/0703009].

- [32] K. Orginos and A. Walker-Loud, “Mixed meson masses with domain-wall valence and staggered sea fermions,” arXiv:0705.0572 [hep-lat].
- [33] S. Catterall and F. Sannino, “Minimal walking on the lattice,” Phys. Rev. D **76**, 034504 (2007) [arXiv:0705.1664 [hep-lat]].
- [34] Ph. Hagler *et al.* [LHPC Collaborations], “Nucleon Generalized Parton Distributions from Full Lattice QCD,” arXiv:0705.4295 [hep-lat].
- [35] E. Follana, C. T. H. Davies, G. P. Lepage and J. Shigemitsu [HPQCD Collaboration], “High Precision determination of the π , K, D and D_s decay constants from lattice QCD,” Phys. Rev. Lett. **100**, 062002 (2008) [arXiv:0706.1726 [hep-lat]].
- [36] S. R. Beane, T. C. Luu, K. Orginos, A. Parreno, M. J. Savage, A. Torok and A. Walker-Loud, “Precise Determination of the $I=2$ $\pi\pi$ Scattering Length from Mixed-Action Lattice QCD,” Phys. Rev. D **77**, 014505 (2008) [arXiv:0706.3026 [hep-lat]].
- [37] S. Catterall and T. Wiseman, “Towards lattice simulation of the gauge theory duals to black holes and hot strings,” JHEP **0712**, 104 (2007) [arXiv:0706.3518 [hep-lat]].
- [38] A. Stathopoulos and K. Orginos, “Computing and deflating eigenvalues while solving multiple right hand side linear systems in Quantum Chromodynamics,” arXiv:0707.0131 [hep-lat].
- [39] J. J. Dudek, R. G. Edwards, N. Mathur and D. G. Richards, “Charmonium excited state spectrum in lattice QCD,” Phys. Rev. D **77**, 034501 (2008) [arXiv:0707.4162 [hep-lat]].
- [40] S. Basak *et al.*, “Lattice QCD determination of patterns of excited baryon states,” Phys. Rev. D **76**, 074504 (2007) [arXiv:0709.0008 [hep-lat]].
- [41] S. R. Beane, T. C. Luu, K. Orginos, A. Parreno, M. J. Savage, A. Torok and A. Walker-Loud [NPLQCD Collaboration], “The $K+K+$ Scattering Length from Lattice QCD,” arXiv:0709.1169 [hep-lat].
- [42] M. Cheng *et al.*, “The QCD Equation of State with almost Physical Quark Masses,” Phys. Rev. D **77**, 014511 (2008) [arXiv:0710.0354 [hep-lat]].
- [43] S. R. Beane, W. Detmold, T. C. Luu, K. Orginos, M. J. Savage and A. Torok, “Multi-Pion Systems in Lattice QCD and the Three-Pion Interaction,” Phys. Rev. Lett. **100**, 082004 (2008) [arXiv:0710.1827 [hep-lat]].
- [44] C. Alexandrou, G. Koutsou, H. Neff, J. W. Negele, W. Schroers and A. Tsapalis, “The nucleon to Delta electromagnetic transition form factors in lattice QCD,” Phys. Rev. D **77**, 085012 (2008) [arXiv:0710.4621 [hep-lat]].
- [45] P. A. Boyle *et al.*, “ K_{l3} semileptonic form factor from 2+1 flavour lattice QCD,” Phys. Rev. Lett. **100**, 141601 (2008) [arXiv:0710.5136 [hep-lat]].
- [46] A. M. Garcia-Garcia and J. C. Osborn, “Is the chiral phase transition induced by a metal-insulator transition?,” Braz. J. Phys. **37**, 246 (2007) [arXiv:0711.2789 [hep-ph]].
- [47] H. W. Lin and K. Orginos, “First Calculation of Hyperon Axial Couplings from Lattice QCD,” arXiv:0712.1214 [hep-lat].
- [48] S. Catterall, “From Twisted Supersymmetry to Orbifold Lattices,” JHEP **0801**, 048 (2008) [arXiv:0712.2532 [hep-th]].

- [49] S. Catterall and A. Joseph, “Lattice Actions for Yang-Mills Quantum Mechanics with Exact Supersymmetry,” arXiv:0712.3074 [hep-lat].
- [50] K. Orginos, “Lattice QCD And Nuclear Physics: Computations Of Hadron Hadron Scattering,” Eur. Phys. J. A **31**, 799 (2007).
- [51] T. Bae *et al.*, “Taste symmetry breaking with HYP-smearred staggered fermions,” arXiv:0801.3000 [hep-lat].
- [52] T. Yamazaki *et al.* [RBC+UKQCD Collaboration], “Nucleon axial charge in 2+1 flavor dynamical lattice QCD with domain wall fermions,” arXiv:0801.4016 [hep-lat].
- [53] C. Aubin, J. Laiho and R. S. Van de Water, “Discretization effects and the scalar meson correlator in mixed-action lattice simulations,” arXiv:0803.0129 [hep-lat].
- [54] W. Detmold, M. J. Savage, A. Torok, S. R. Beane, T. C. Luu, K. Orginos and A. Parreno, “Multi-Pion States in Lattice QCD and the Charged-Pion Condensate,” arXiv:0803.2728 [hep-lat].
- [55] H. W. Lin, S. D. Cohen, R. G. Edwards and D. G. Richards, “First Lattice Study of the $N-P_{11}(1440)$ Transition Form Factors,” arXiv:0803.3020 [hep-lat].
- [56] R. G. Edwards, B. Joo and H. W. Lin, “Tuning for Three-flavors of Anisotropic Clover Fermions with Stout-link Smearing,” arXiv:0803.3960 [hep-lat].
- [57] S. Catterall and T. Wiseman, “Black hole thermodynamics from simulations of lattice Yang-Mills theory,” arXiv:0803.4273 [hep-th].
- [58] C. Allton *et al.*, “Physical Results from 2+1 Flavor Domain Wall QCD and SU(2) Chiral Perturbation Theory,” arXiv:0804.0473 [hep-lat].
- [59] E. Gamiz, J. Shigemitsu and H. Trotter, “Four Fermion Operator Matching with NRQCD Heavy and Asqtad Light Quarks,” arXiv:0804.1557 [hep-lat].

Publications in Conference Proceedings

- [1] K. J. Juge *et al.*, “Towards a determination of the spectrum of QCD using a space-time lattice,” arXiv:hep-lat/0601029.
- [2] C. Schmidt, “QCD thermodynamics with an almost realistic quark mass spectrum,” AIP Conf. Proc. **842**, 101 (2006) [arXiv:hep-lat/0601032].
- [3] S. Basak *et al.*, “Baryon operators and baryon spectroscopy,” Nucl. Phys. Proc. Suppl. **153**, 242 (2006) [arXiv:hep-lat/0601034].
- [4] P. Petreczky, “Progress in lattice QCD at finite temperature,” arXiv:nucl-th/0606013.
- [5] C. Schmidt, “QCD thermodynamics with almost realistic quark masses,” arXiv:hep-lat/0606020.
- [6] P. B. Mackenzie, “CKM physics from lattice QCD,” *In the Proceedings of 4th Flavor Physics and CP Violation Conference (FPCP 2006), Vancouver, British Columbia, Canada, 9-12 Apr 2006, pp 022* [arXiv:hep-ph/0606034].

- [7] D. B. Renner *et al.* [LHPC Collaboration], “Calculation of the nucleon axial charge in lattice QCD,” J. Phys. Conf. Ser. **46**, 152 (2006) [arXiv:hep-lat/0607008].
- [8] F. Karsch, “Lattice simulations of the thermodynamics of strongly interacting elementary particles and the exploration of new phases of matter in relativistic heavy ion collisions,” J. Phys. Conf. Ser. **46**, 122 (2006) [arXiv:hep-lat/0608003].
- [9] T. Draper *et al.*, “On the locality and scaling of overlap fermions at coarse lattice spacings,” arXiv:hep-lat/0609034.
- [10] S. Basak *et al.*, “Lattice QCD determination of states with spin 5/2 or higher in the spectrum of nucleons,” arXiv:hep-lat/0609052.
- [11] C. Bernard *et al.*, “Update on the physics of light pseudoscalar mesons,” PoS **LAT2006**, 163 (2006) [arXiv:hep-lat/0609053].
- [12] S. Basak *et al.* [Lattice Hadron Physics Collaboration], “Light baryon spectrum using improved interpolating operators,” PoS **LAT2006**, 197 (2006) [arXiv:hep-lat/0609072].
- [13] M. Cheng [RBC-Bielefeld Collaboration], “Analysis of the finite temperature transition for 3 flavor QCD using p4-improved staggered fermions,” PoS **LAT2006**, 129 (2006) [arXiv:hep-lat/0610001].
- [14] R. G. Edwards *et al.*, “Nucleon structure in the chiral regime with domain wall fermions on an improved staggered sea,” PoS **LAT2006**, 121 (2006) [arXiv:hep-lat/0610007].
- [15] C. Bernard *et al.*, “The QCD equation of state with asqtad staggered fermions,” PoS **LAT2006**, 139 (2006) [arXiv:hep-lat/0610017].
- [16] T. Umeda, “QCD thermodynamics with $N(f) = 2+1$ near the continuum limit at realistic quark masses,” PoS **LAT2006**, 151 (2006) [arXiv:hep-lat/0610019].
- [17] K. Petrov [RBC-Bielefeld Collaboration], “Singlet free energies and renormalized Polyakov loop in full QCD,” PoS **LAT2006**, 144 (2006) [arXiv:hep-lat/0610041].
- [18] D. J. Antonio *et al.*, “ $K \rightarrow \pi l \nu$ form factor with $N(f) = 2+1$ dynamical domain wall fermions,” PoS **LAT2006**, 101 (2006) [arXiv:hep-lat/0610080].
- [19] C. Alexandrou, T. Leontiou, J. W. Negele and A. Tsapalis, “The N to Δ axial transition form factors in quenched and unquenched QCD,” PoS **LAT2006**, 115 (2006) [arXiv:hep-lat/0610107].
- [20] E. D. Freeland, A. S. Kronfeld, J. N. Simone and R. S. Van de Water [Fermilab Lattice and MILC Collaborations], “ $\bar{\Lambda}$, λ_1 , and m_b in three-flavor (lattice) QCD,” PoS **LAT2006**, 083 (2006) [arXiv:hep-lat/0610108].
- [21] C. T. H. Davies *et al.* [HPQCD Collaboration], “Charm physics with highly improved staggered quarks,” PoS **LAT2006**, 082 (2006) [arXiv:hep-lat/0610110].
- [22] J. Dudek, R. Edwards, N. Mathur and D. Richards, “Exotic and higher spin mesons in the charmonium,” PoS **LAT2006**, 187 (2006) [arXiv:hep-lat/0610006].
- [23] C. Bernard *et al.*, “Low energy constants from the MILC Collaboration,” arXiv:hep-lat/0611024.
- [24] A. Li, A. Alexandru and K. F. Liu, “Reweighting method in finite density lattice QCD,” PoS **LAT2006**, 030 (2006) [arXiv:hep-lat/0612011].

- [25] R. G. Edwards *et al.* [LHPC Collaboration], “Hadron spectrum with domain-wall valence quarks on an improved staggered sea,” PoS **LAT2006**, 195 (2006).
- [26] R. S. Van de Water and P. B. Mackenzie [Fermilab Lattice and MILC Collaborations], “Unitarity and the heavy quark expansion in the determination of semileptonic form factors,” PoS **LAT2006**, 097 (2006).
- [27] S. A. Gottlieb, L. Levkova, M. Di Pierro, A. X. El-Khadra, A. S. Kronfeld, P. B. Mackenzie and J. N. Simone [Fermilab Lattice and MILC Collaborations], “Update on onium masses with three flavors of dynamical quarks,” PoS **LAT2006**, 175 (2006).
- [28] K. Orginos, “Recent lattice QCD results on nucleon structure,” PoS **LAT2006**, 018 (2006).
- [29] J. Laiho [Fermilab Lattice and MILC Collaborations], “The $B \rightarrow D^* 1 \nu$ form factor from lattice QCD,” PoS **LAT2006**, 087 (2006).
- [30] D. J. Antonio *et al.* [RBC and UKQCD Collaborations], “Production and properties of 2+1 flavor DWF ensembles,” PoS **LAT2006**, 188 (2006).
- [31] S. Cohen [RBC and UKQCD Collaborations], “ B_K on 2+1 flavor Iwasaki DWF lattices,” PoS **LAT2006**, 080 (2006).
- [32] J. Shigemitsu *et al.*, “B/s mixing parameters in N(f)=2+1 full QCD,” PoS **LAT2006**, 093 (2006).
- [33] C. Bernard *et al.* [Fermilab Lattice, MILC and HPQCD Collaborations], “The decay constants $f(B^+)$ and $f(D^+)$ from three-flavor lattice QCD,” PoS **LAT2006**, 094 (2006).
- [34] C. Aubin and T. Blum, “Hadronic Contributions To The Muon G-2 From The Lattice,” Nucl. Phys. Proc. Suppl. **162**, 251 (2006).
- [35] K. Orginos, “Innovations in lattice QCD algorithms,” J. Phys. Conf. Ser. **46**, 132 (2006).
- [36] D. Richards, “Moments of GPDs from lattice QCD,”
- [37] E. Gamiz, S. Collins, C. T. H. Davies, J. Shigemitsu and M. Wingate [HPQCD and UKQCD Collaborations], “Dynamical Study Of B(K) With Improved Staggered Quarks,” Nucl. Phys. Proc. Suppl. **153**, 114 (2006).
- [38] R. C. Brower, C. E. DeTar, R. G. Edwards, D. J. Holmgren, R. D. Mawhinney, W. Watson and Y. Zhang, “National software infrastructure for lattice quantum chromodynamics,” J. Phys. Conf. Ser. **46**, 142 (2006).
- [39] K. Petrov [RBC-Bielefeld Collaboration], “Heavy quark thermodynamics in full QCD,” arXiv:hep-lat/0701017.
- [40] F. Karsch, “Transition temperature in QCD with physical light and strange quark masses,” arXiv:hep-ph/0701210.
- [41] D. J. Antonio *et al.*, “K(13) form factor with N(f) = 2+1 dynamical domain wall fermions: A progress report,” arXiv:hep-lat/0702026.
- [42] P. Petreczky, “Progress in Lattice QCD at finite temperature,” arXiv:0705.2175 [nucl-th].
- [43] J. Bulava *et al.*, “Hadronic Resonances from Lattice QCD,” AIP Conf. Proc. **947**, 77 (2007) [arXiv:0708.2072 [hep-lat]].

- [44] J. Bulava *et al.*, “Results and Frontiers in Lattice Baryon Spectroscopy,” AIP Conf. Proc. **947**, 137 (2007) [arXiv:0708.2145 [hep-lat]].
- [45] K. Hubner, “Correlations of chiral condensates and quark number densities with static quark sources,” PoS **LAT2007**, 193 (2007) [arXiv:0709.1467 [hep-lat]].
- [46] M. Cristoforetti, P. Faccioli, M. Traini and J. W. Negele, “Exploring the transition into the Chiral Regime of QCD using the Interacting Instanton Liquid Model,” PoS **LATTICE2007**, 142 (2006) [arXiv:0709.3386 [hep-lat]].
- [47] S. Catterall and T. Wiseman, “Gauge-gravity duality – Super Yang Mills Quantum Mechanics,” PoS **LATTICE2007**, 051 (2006) [arXiv:0709.3497 [hep-lat]].
- [48] H. W. Lin, R. G. Edwards and B. Joo, “Parameter Tuning of Three-Flavor Dynamical Anisotropic Clover Action,” PoS **LATTICE2007**, 119 (2006) [arXiv:0709.4680 [hep-lat]].
- [49] T. Bae *et al.*, “Improvement of the pion spectrum with HYP-smearred staggered fermions,” PoS **LATTICE2007**, 089 (2007) [arXiv:0710.0017 [hep-lat]].
- [50] S. Syritsyn and J. W. Negele, “Oscillatory terms in the domain wall transfer matrix,” PoS **LATTICE2007**, 078 (2006) [arXiv:0710.0425 [hep-lat]].
- [51] O. Kaczmarek, PoS C **POD07**, 043 (2007) [arXiv:0710.0498 [hep-lat]].
- [52] E. Gamiz, C. T. H. Davies, G. P. Lepage, J. Shigemitsu and M. Wingate, “ B_s and B_d mixing in full lattice QCD using NRQCD b quarks,” PoS **LATTICE2007**, 349 (2007) [arXiv:0710.0646 [hep-lat]].
- [53] C. T. H. Davies, E. Follana, K. Y. Wong, G. P. Lepage and J. Shigemitsu, “B Semileptonic Decays at High Recoil Momentum,” PoS **LATTICE2007**, 378 (2007) [arXiv:0710.0741 [hep-lat]].
- [54] C. Aubin, J. Laiho and R. S. Van de Water, “Taste violations in the scalar correlator in mixed action simulations,” PoS **LATTICE2007**, 088 (2006) [arXiv:0710.0804 [hep-lat]].
- [55] M. Li and H. W. Lin, “Charm spectroscopy on dynamical 2+1 flavor domain wall fermion lattices with a relativistic heavy quark action,” PoS **LAT2007**, 117 (2007) [arXiv:0710.0910 [hep-lat]].
- [56] J. Laiho [Fermilab Lattice and MILC Collaborations], “ $B - \bar{c} D^* 1 \nu$ with 2+1 flavors,” PoS **LATTICE2007**, 358 (2006) [arXiv:0710.1111 [hep-lat]].
- [57] C. Bernard *et al.*, “Status of the MILC light pseudoscalar meson project,” PoS **LATTICE2007**, 090 (2006) [arXiv:0710.1118 [hep-lat]].
- [58] C. Aubin, J. Laiho and R. S. Van de Water, “The kaon B^- parameter from unquenched mixed action lattice QCD,” PoS **LATTICE2007**, 375 (2006) [arXiv:0710.1121 [hep-lat]].
- [59] C. DeTar and L. Levkova (MILC Collaboration), “Effects of the disconnected flavor singlet corrections on the hyperfine splitting in charmonium” PoS **LATTICE2007**, 116 (2007) [arXiv:0710.1322 [hep-lat]].
- [60] D. B. Renner *et al.* [LHPC Collaboration], “Generalized parton distributions from domain wall valence quarks and staggered sea quarks,” PoS **LATTICE2007**, 160 (2006) [arXiv:0710.1373 [hep-lat]].

- [61] C. DeTar “Sharing lattices throughout the world: an ILDG status report” PoS **LATTICE2007**, 009 (2007) [arXiv:0710.1660 [hep-lat]].
- [62] J. Liddle [RBC-Bielefeld Collaboration], “The spatial string tension and dimensional reduction in QCD,” arXiv:0710.2011 [hep-lat].
- [63] C. Alexandrou, G. Koutsou, T. Leontiou, J. W. Negele and A. Tsapalis, “Nucleon and Nucleon to Delta Axial form factors from Lattice QCD,” PoS **LAT2007**, 162 (2007) [arXiv:0710.2173 [hep-lat]].
- [64] F. X. Lee, S. Moerschbacher and W. Wilcox, “Magnetic Moment of Vector Mesons in the Background Field Method,” PoS **LAT2007**, 151 (2007) [arXiv:0710.2329 [hep-lat]].
- [65] The MILC Collaboration: C. Bernard *et al.*, “The equation of state with nonzero chemical potential for 2+1 flavors,” PoS **LATTICE2007**, 190 (2007) [arXiv:0710.2520 [hep-lat]].
- [66] C. Alexandrou, T. Korzec, T. Leontiou, J. W. Negele and A. Tsapalis, “Electromagnetic form factors of the Delta baryon,” PoS **LATTICE2007**, 149 (2006) [arXiv:0710.2744 [hep-lat]].
- [67] S. J. Dong and K. F. Liu, “Finite ma Errors of the Overlap Fermion,” PoS **LAT2007**, 093 (2007) [PoS **LATTICE2007**, 093 (2006)] [arXiv:0710.3038 [hep-lat]].
- [68] C. Bernard *et al.*, “The 2+1 flavor topological susceptibility from the asqtad action at 0.06 fm,” PoS **LAT2007**, 310 (2007) [arXiv:0710.3124 [hep-lat]].
- [69] S. Li and R. D. Mawhinney [RBC and UKQCD Collaborations], “Kaon Weak Matrix Elements in 2+1 flavor DWF QCD,” PoS **LAT2007**, 359 (2007) [arXiv:0710.3414 [hep-lat]].
- [70] R. G. Edwards *et al.* [LHPC Collaboration], “Group Theoretical Construction of Nucleon Operators using All-to-All Quark Propagators,” PoS **LATTICE2007**, 108 (2006) [arXiv:0710.3571 [hep-lat]].
- [71] K. Petrov [RBC-Bielefeld Collaboration], “Free energy of static quarks and the renormalized Polyakov loop in full QCD,” PoS(LATTICE 2007)217; arXiv:0710.4237 [hep-lat].
- [72] C. Miao and C. Schmidt, “Bulk thermodynamics and charge fluctuations at non-vanishing baryon density,” PoS **LAT2007**, 175 (2007) [arXiv:0710.4312 [hep-lat]].
- [73] E. D. Freeland, A. S. Kronfeld, J. N. Simone and R. S. Van de Water [Fermilab Lattice Collaboration], “Heavy-Quark Masses from the Fermilab Method in Three-Flavor Lattice QCD,” PoS **LATTICE2007**, 243 (2006) [arXiv:0710.4339 [hep-lat]].
- [74] M. Cheng [RBC-Bielefeld Collaboration], “Charm Quarks and the QCD Equation of State,” PoS **LAT2007**, 173 (2007) [arXiv:0710.4357 [hep-lat]].
- [75] B. U. Musch, P. Hagler, A. Schafer, M. Gockeler, D. B. Renner and J. W. Negele [LHPC Collaboration], “Transverse momentum distributions of quarks from the lattice using extended PoS **LAT2007**, 155 (2007) [arXiv:0710.4423 [hep-lat]].
- [76] R. Babich, R. Brower, M. Clark, G. Fleming, J. Osborn and C. Rebbi, “Strange quark contribution to nucleon form factors,” PoS **LAT2007**, 139 (2007) [arXiv:0710.5536 [hep-lat]].
- [77] P. Petreczky, “Progress in finite temperature lattice QCD,” J. Phys. G **35**, 044033 (2008) [arXiv:0710.5561 [nucl-th]].
- [78] P. Boyle [RBC Collaboration], “2+1 flavour Domain Wall Fermion simulations by the RBC and UKQCD collaborations,” PoS **LAT2007**, 005 (2007) arXiv:0710.5880 [hep-lat].

- [79] The MILC Collaboration: D. Toussaint *et al.*, “Baryon masses with improved staggered quarks” PoS **LAT 2007**, 137 (2007) [arXiv:0711.0021].
- [80] F. Karsch, “Recent lattice results on finite temperature and density QCD, part I,” arXiv:0711.0656 [hep-lat].
- [81] F. Karsch, “Recent lattice results on finite temperature and density QCD, part II,” PoS **LAT2007**, 015 (2006) [arXiv:0711.0661 [hep-lat]].
- [82] J. J. Dudek, “Charmonium from Lattice QCD,” *In the Proceedings of International Workshop on Charm Physics (Charm 2007), Ithaca, New York, 5-8 Aug 2007, pp 21* [arXiv:0711.1600 [hep-ph]].
- [83] D. Richards, “Nucleon Structure from Lattice QCD,” arXiv:0711.2048 [nucl-th].
- [84] P. Petreczky, “Properties of quark gluon plasma from lattice calculations,” arXiv:0711.2280 [hep-lat].
- [85] A. Alexandru, A. Li and K. F. Liu, “Finite density simulations using a determinant estimator,” PoS **LAT2007**, 167 (2007) [arXiv:0711.2678 [hep-lat]].
- [86] A. Li, A. Alexandru and K. F. Liu, “New results using the canonical approach to finite density QCD,” PoS **LAT2007**, 203 (2007) [arXiv:0711.2692 [hep-lat]].
- [87] M. Lightman [RBC Collaboration], “K to pi pi Amplitudes at Unphysical Kinematics Using Domain Wall Fermions,” PoS **LAT2007**, 360 (2007) [arXiv:0711.3953 [hep-lat]].
- [88] J. J. Dudek, R. G. Edwards, N. Mathur and D. G. Richards, “Radiative physics in charmonium from lattice QCD,” J. Phys. Conf. Ser. **69**, 012006 (2007).
- [89] J. D. Bratt *et al.*, “Ab Initio Hadron Structure From Lattice QCD,” J. Phys. Conf. Ser. **78**, 012019 (2007).
- [90] F. Karsch, Prog. Theor. Phys. Suppl. **168** (2007) 237.
- [91] S. Cohen and D. Antonio [RBC and UKQCD Collaborations], “The kaon B-parameter from 2+1-flavor Domain-Wall-Fermion lattices,” PoS **LAT2007**, 347 (2007).
- [92] E. Dalgic *et al.*, “Progress on Perturbative Matching Calculations for the Charm Quark Mass using the HISQ Action,” PoS **LATTICE2007**, 239 (2007).
- [93] E. Follana *et al.*, “High Precision Determination of the D and D_s Decay Constants and Masses from Lattice QCD,” PoS **LATTICE2007**, 353 (2007).
- [94] P. Mackenzie *et al.*, “B and D meson semileptonic decays in three-flavor lattice QCD,” PoS **Lattice2007**, 207 (2007).
- [95] C. Bernard *et al.*, “The decay constants f_B and f_{D^+} from three-flavor lattice QCD,” PoS **Lattice2007**, 370 (2007)
- [96] C. Bernard *et al.*, “Recent lattice results with light quarks at zero and nonzero temperature,” J. Phys. Conf. Ser. **69**, 012029 (2007).
- [97] R. S. Van de Water [USQCD Collaboration], “Testing The Standard Model Of Particle Physics Using Lattice QCD,” J. Phys. Conf. Ser. **78**, 012079 (2007).