

## USQCD Publications—2020

34. T. Appelquist *et al.* [Lattice Strong Dynamics Collaboration], “Near-conformal dynamics in a chirally broken system,” [arXiv:2007.01810 \[hep-ph\]](https://arxiv.org/abs/2007.01810).
33. R. A. Briceño, J. V. Guerrero, M. T. Hansen and A. Sturzu, “The role of boundary conditions in quantum computations of scattering observables,” [arXiv:2007.01155 \[hep-lat\]](https://arxiv.org/abs/2007.01155).
32. R. C. Brower *et al.* [Lattice Strong Dynamics Collaboration], “Stealth dark matter confinement transition and gravitational waves,” [arXiv:2006.16429 \[hep-lat\]](https://arxiv.org/abs/2006.16429).
31. G. Rendon *et al.*, “ $I = 1/2$   $S$ -wave and  $P$ -wave  $K\pi$  scattering and the  $\kappa$  and  $K^*$  resonances from lattice QCD,” [arXiv:2006.14035 \[hep-lat\]](https://arxiv.org/abs/2006.14035).
30. G. Wang, J. Liang, T. Draper, K. F. Liu and Y. B. Yang, “Lattice calculation of pion form factor with overlap fermions,” [arXiv:2006.05431 \[hep-ph\]](https://arxiv.org/abs/2006.05431).
29. S. Mondal, R. Gupta, S. Park, B. Yoon, T. Bhattacharya and H. W. Lin, “Moments of nucleon isovector structure functions in  $2 + 1 + 1$ -flavor QCD,” [arXiv:2005.13779 \[hep-lat\]](https://arxiv.org/abs/2005.13779).
28. R. Zhang, C. Honkala, H. W. Lin and J. W. Chen, “Pion and kaon distribution amplitudes in the continuum limit,” [arXiv:2005.13955 \[hep-lat\]](https://arxiv.org/abs/2005.13955).
27. M. Asaduzzaman, S. Catterall, J. Hubisz, R. Nelson and J. Unmuth-Yockey, “Holography on tessellations of hyperbolic space,” [arXiv:2005.12726 \[hep-lat\]](https://arxiv.org/abs/2005.12726).
26. R. Zhang, H. W. Lin and B. Yoon, “Probing nucleon strange and charm distributions with lattice QCD,” [arXiv:2005.01124 \[hep-lat\]](https://arxiv.org/abs/2005.01124).
25. T. DeGrand, “Topological susceptibility in QCD with two flavors and 3–5 colors: A pilot study,” *Phys. Rev. D* **101**, 114509 (2020) [[arXiv:2004.09649 \[hep-lat\]](https://arxiv.org/abs/2004.09649)].
24. W. Detmold *et al.* [NPLQCD Collaboration], “Neutrinoless double beta decay from lattice QCD: The long-distance  $\pi^- \rightarrow \pi^+ e^- e^-$  amplitude,” [arXiv:2004.07404 \[hep-lat\]](https://arxiv.org/abs/2004.07404).
23. S. Bhattacharya, K. Cichy, M. Constantinou, A. Metz, A. Scapellato and F. Steffens, “New insights on proton structure from lattice QCD: The twist-3 parton distribution function  $g_T(x)$ ,” [arXiv:2004.04130 \[hep-lat\]](https://arxiv.org/abs/2004.04130).
22. B. Joó, J. Karpie, K. Orginos, A. V. Radyushkin, D. G. Richards and S. Zafeiropoulos, “Parton distribution functions from Ioffe-time pseudo-distributions from lattice calculations: Approaching the physical point,” [arXiv:2004.01687 \[hep-lat\]](https://arxiv.org/abs/2004.01687).
21. A. Hasenfratz, C. Rebbi and O. Witzel, “Gradient flow step-scaling function for SU(3) with ten fundamental flavors,” *Phys. Rev. D* **101**, 114508 (2020) [[arXiv:2004.00754 \[hep-lat\]](https://arxiv.org/abs/2004.00754)].
20. A. Hasenfratz and O. Witzel, “Dislocations under gradient flow and their effect on the renormalized coupling,” [arXiv:2004.00758 \[hep-lat\]](https://arxiv.org/abs/2004.00758).
19. H. W. Lin, J. W. Chen, Z. Fan, J. H. Zhang and R. Zhang, “The valence-quark distribution of the kaon from lattice QCD,” [arXiv:2003.14128 \[hep-lat\]](https://arxiv.org/abs/2003.14128).
18. S. R. Beane *et al.*, “Charged multi-hadron systems in lattice QCD+QED,” [arXiv:2003.12130 \[hep-lat\]](https://arxiv.org/abs/2003.12130).

17. X. Feng, M. Gorchtein, L. C. Jin, P. X. Ma and C. Y. Seng, “First-principles calculation of electroweak box diagrams from lattice QCD,” [Phys. Rev. Lett. \*\*124\*\*, 192002 \(2020\)](#) [[arXiv:2003.09798 \[hep-lat\]](#)].
16. V. Cirigliano, W. Detmold, A. Nicholson and P. Shanahan, “Lattice QCD inputs for nuclear double beta decay,” [arXiv:2003.08493 \[nucl-th\]](#) <https://doi.org/10.1016/j.ppnp.2020.103771>  
[INSPIRE-HEP entry](#)
15. T. Bhattacharya, R. Gupta and B. Yoon, “Recent results of nucleon structure & matrix element calculations,” [arXiv:2003.08490 \[hep-lat\]](#) [PoS \*\*LATTICE2019\*\* 247 \(2020\)](#)  
[INSPIRE-HEP entry](#)
14. O. Kaczmarek, F. Karsch, A. Lahiri, L. Mazur and C. Schmidt, “QCD phase transition in the chiral limit,” [arXiv:2003.07920 \[hep-lat\]](#).
13. P. Shanahan, M. Wagman and Y. Zhao, “Collins-Soper kernel for TMD evolution from lattice QCD,” [arXiv:2003.06063 \[hep-lat\]](#).
12. W. Detmold, G. Kanwar, M. L. Wagman and N. C. Warrington, “Path integral contour deformations for noisy observables,” [arXiv:2003.05914 \[hep-lat\]](#).
11. C. Lehner and A. S. Meyer, “Consistency of hadronic vacuum polarization between lattice QCD and the  $R$  ratio,” [Phys. Rev. D \*\*101\*\*, 074515 \(2020\)](#) [[arXiv:2003.04177 \[hep-lat\]](#)].
10. R. S. Sufian *et al.*, “Constraints on charm-anticharm asymmetry in the nucleon from lattice QCD,” [PoS \*\*LC2019\*\*, 060 \(2020\)](#) [[arXiv:2003.01078 \[hep-lat\]](#)].
9. Z. Fodor, K. Holland, J. Kuti and C. H. Wong, “Dilaton EFT from  $p$  regime to RMT in the  $\varepsilon$ -regime,” [arXiv:2002.05163 \[hep-lat\]](#).
8. S. Park, T. Bhattacharya, R. Gupta, Y. C. Jang, B. Joo, H. W. Lin and B. Yoon, “Nucleon charges and form factors using clover and HISQ ensembles,” [arXiv:2002.02147 \[hep-lat\]](#).
7. D. Schaich [Lattice Strong Dynamics Collaboration], “Stealth dark matter and gravitational waves,” [arXiv:2002.00187 \[hep-lat\]](#) [PoS \*\*LATTICE 2019\*\*, 068 \(2020\)](#)  
[INSPIRE-HEP entry](#)
6. C. Shugert *et al.*, “Pion valence quark PDF from lattice QCD,” [arXiv:2001.11650 \[hep-lat\]](#).
5. Y. C. Jang, R. Gupta, T. Bhattacharya, S. Park, B. Yoon and H. W. Lin, “Nucleon axial form factors from clover fermion on 2+1+1-flavor HISQ lattice,” [arXiv:2001.11592 \[hep-lat\]](#).
4. A. Bazavov *et al.*, “Skewness, kurtosis, and the fifth and sixth order cumulants of net baryon-number distributions from lattice QCD confront high-statistics STAR data,” [Phys. Rev. D \*\*101\*\*, 074502 \(2020\)](#) [[arXiv:2001.08530 \[hep-lat\]](#)].
3. A. J. Woss *et al.* [Hadron Spectrum Collaboration], “Efficient solution of the multichannel Lüscher determinant condition through eigenvalue decomposition,” [Phys. Rev. D \*\*101\*\*, 114505 \(2020\)](#) [[arXiv:2001.08474 \[hep-lat\]](#)].
2. N. H. Christ, X. Feng, L. Jin, C. Tu and Y. Zhao, “Calculating the two-photon contribution to  $\pi^0 \rightarrow e^+ e^-$  decay amplitude,” [arXiv:2001.05642 \[hep-lat\]](#).
1. R. S. Sufian *et al.*, “Pion valence quark distribution at large  $x$  from lattice QCD,” [arXiv:2001.04960 \[hep-lat\]](#).

INSPIRE search “find date 2020 and fulltext USQCD” includes papers using the USQCD software stack and/or data generated on USQCD computing resources.

July 9, 2020